

05. Angina pectoris (clinical)

Abstract No.	First Name	Last Name	Abstract Title	Session ID	Language
10026	Shigetaka	Kageyama	Unique referral system contributes to long-term net clinical benefits in patients undergoing secondary prevention therapy after percutaneous coronary intervention	5-3	日本語
10099	Shinichiro	Tanaka	Association Functional Stenosis and Post Ischemic Diastolic Stunning of Intermediate Coronary Stenosis in Patients with Stable Coronary Heart Disease	5-4	日本語
10107	Shozo	Sueda	Gender differences in patients with positive coronary spasm by acetylcholine testing: Men are more sensitive to acetylcholine than women	5-2	English
10109	Shozo	Sueda	Bronchial Asthma and Rest Angina: Is It Safe to Perform Acetylcholine Spasm Provocation Tests in These Patients?	5-1	English
10204	Shummo	Cho	Relationships between residual lipid plaque burden after stenting detected by near-infrared spectroscopy-intravascular ultrasound and optical coherence tomography findings	5-1	English
10252	Daisuke	Kanda	Impact of non-HDL-C assessment to predict presence of new lesions after percutaneous coronary intervention in stable angina patients prescribed statins	5-3	日本語
10773	Takuya	Ando	Impact of Body Mass Index on Long-term Bleeding Events in Patients who Underwent Percutaneous Coronary Intervention	5-1	English
10941	Akihiro	Ikuta	Impact of Body Mass Index on The Academic Research Consortium for High Bleeding Risk	5-3	日本語
11059	Tatsuaki	Murakami	Coronary Endothelial Dysfunction Highly Provides Adverse Prognostic Impacts in Patients With Coronary Artery Disease During Long-Term Follow-up Over 10 Years	5-2	English
11060	Hirokazu	Shimono	Preprocedural Prognostic Nutritional Index is Associated with Clinical Outcome in Patients with Stable Coronary Artery Disease after Percutaneous Coronary Intervention	5-1	English
11112	Emi	Fujii	A Comparison of Prognosis of Patients with Symptomatic and Asymptomatic Stable Coronary Artery Disease	5-2	English
11138	Takatoku	Aizawa	VerifyNow examination of P2Y12 receptor antagonists: Structure equation model considering the influence of hemoglobin values	5-1	English

05. Angina pectoris (clinical)

Abstract No.	First Name	Last Name	Abstract Title	Session ID	Language
11139	Ryota	Noike	Glasgow Prognostic Score can be a prognostic indicator after Percutaneous Coronary Intervention.	5-4	日本語
11347	Kota	Yamada	Midterm Target Lesion Failure after Drug-coated Balloon Dilation versus Drug-eluting Stents Placement for Stable Angina: Impact of Pre-procedural Lesion Length	5-3	日本語
11418	Ryo	Takahashi	Relationship between risk factor management and lesion distribution in coronary artery stenosis: a cross-sectional analysis of BOREAS-CAG Registry data	5-4	日本語
11439	Reiji	Goto	Independent Predictors of Discordance between the Resting Full-cycle Ratio and Fractional Flow Reserve	5-2	English
11554	Daisuke	Higashioka	Myocardial perfusion scintigraphy findings in concordant or discordant groups between FFR and iFR	5-4	日本語
11624	Ryotaro	Yamada	Impact of New Guideline Dedicated Intensive Lipid Lowering Therapy on Clinical Events in Patients with Acute Coronary Syndrome	5-3	日本語
11675	Yusaku	Shinbo	Discrepancies of Quantitative Flow Ratio and Fractional Flow Reserve	5-2	English
11698	Kazunori	Mushiake	Three-year Outcomes after Revascularization in Patients with Unprotected Left Main Coronary Artery Disease	5-2	English
11854	Masashi	Koga	Preprocedural Multi-detector Computed Tomography Predicts Irregular Protrusion after Coronary Stenting Assessed by Optical Coherence Tomography	5-1	English
11989	Mikio	Kishi	Very Long-term Clinical Outcome after 1st Generation DES Implantation: Insight from Single Center Cohort	5-1	English
12063	Nozomi	Niimi	Severity of Angina and Incidence of Adverse Cardiovascular Events after Percutaneous Coronary Intervention in Diabetic vs. Non-Diabetic Patients	5-2	English
12086	Hideki	Yano	Impact of lipid-lowering therapy on clinical outcomes in patients with moderate coronary stenosis after deferral of revascularization based on gray-zone-FFR	5-4	日本語

05. Angina pectoris (clinical)

Abstract No.	First Name	Last Name	Abstract Title	Session ID	Language
12248	Toshifumi	Ishida	East Asian Variant Aldehyde Dehydrogenase Type2 Genotype Is Associated with Coronary Spastic Angina in Men but not in Women-Sex Differences-	5-4	日本語
12299	Ran	Nagai	Unexpected High Prevalence of Sever Coronary Artery Stenosis in Japanese Hemophiliacs living with HIV-1	5-4	日本語